



SALNOL - ACC

(Semi synthetic fat liquor for Leather industry)

Classification :

Semi synthetic fat liquor with optimum penetration and excellent surface feel.

• Features:

- **SALNOL-ACC** is a unique fat liquoring agent suitable for the production of all types of leathers i.e. Nappa, softy upper, nubucks, gloves, and suede's, etc.
- it contains lecithin also, due to which it imparts uniform softness, fullness grain tightness and silky touch resulting in light weight and well lubricated leather.
- it shows an optimum penetration imparting to the leather an excellent softness, fluffy character with a mellow and silky feel as well as smooth and fine grain.
- it controls the water absorbency up to some extent and imparts waxy surface handle.
- it can be used in final fat liquoring for suede leathers where sheen is very important.
- lubricates the leather fibre without adding extra weight to the final leather.
- does not give any disagreeable odour to the leather and there is no sign of spew formation when leather treated with it is kept even for long periods.

Characteristics :

Chemical composition:	a combination of phospholipids sulphated natural and synthetic oil, fatty alcohol and modified olefin sulphonate.
Appearance	: pale yellow to dark brown coloured viscous liquid.
Active matter	: $60 \pm 2\%$
Ph (1:10 dilution)	: 6.0 - 9.0
Stability to electrolytes	: stable to acids, alkalis, salts, hard water, under usual tannery conditions.
Shelf life	: twelve months under ideal conditions.
Dilution	: self emulsifiable in hot and cold water.

Application:

- It is a multi charged compact fat liquor for all types of soft leathers like Nappa, soft upper, Nubucks, gloves, suedes. For soft types of leather the recommended dosages varies from 6-12% in combination with other fat liquor.
- Due to its chemical composition it can be used as a single fat liquoring system, particularly for upper items.
- It can be used up to 4% in final fat liquoring for suedes to provide excellent sheen.

Packing Available in: (Liquid) 50 Kgs/ 100 kgs HDPE Drum

Disclaimer:

The above information presented is for just basic guidance. We recommend that the prospective user determine the suitability of our materials and suggestions before adopting them on a commercial scale.